

Compliance Designs

CLIENT: RTD Beverages, LLC
72070 Hwy 1077
Covington, LA 70433

DATE OF REPORT: Quarter 2, 2017
REPORT #: 555-5667
LABORATORY ID#: 656514

NOTE: “*” indicates that maximum levels have been exceeded, or in the case of pH, is either too high or too low
“ND” indicates that none of this analyte has been detected at or above the specified detection level
“MCL” indicates maximum contaminant level as established by US FDA for bottled water
“RL” indicates laboratory reporting limit for method
Units results are reported in mg/L unless otherwise noted

| ANALYSIS PERFORMED | MCL ¹ (mg/L) | RL (mg/L) | EVAMOR FINISHED PRODUCT |
|---------------------------------------------------|----------------------------|--------------|--------------------------------------------------------------------------|
| | | | (Produced from Goodbee Well Source, 32 Ounce, Line A) 555-5667 (mg/L) |
| Primary Inorganics | | | |
| Antimony | 0.006 | 0.001 | ND |
| Arsenic | 0.01 | 0.002 | ND |
| Asbestos | 7 MFL | 0.17 | ND |
| Barium | 2 | 0.002 | 0.0042 |
| Beryllium | 0.004 | 0.001 | ND |
| Cadmium | 0.005 | 0.0005 | ND |
| Chromium | 0.1 | 0.005 | ND |
| Cyanide | 0.2 | 0.025 | ND |
| Fluoride | See endnote ² | 0.05 | 0.18 |
| Lead | 0.005 | 0.0005 | ND |
| Mercury | 0.002 | 0.0002 | ND |
| Nickel | 0.1 | 0.005 | ND |
| Nitrogen, Nitrate | 10 | 0.1 | ND |
| Nitrogen, Nitrite | 1.0 | 0.05 | ND |
| Nitrogen - NO ₃ /NO ₂ (NOX) | 10 | 0.1 | ND |
| Selenium | 0.05 | 0.005 | ND |
| Thallium | 0.002 | 0.001 | ND |
| Secondary Inorganics | | | |
| Alkalinity | -- | 2 | 130 |
| Aluminum | 0.2 | 0.02 | ND |
| Bicarbonate | -- | 2 | 150 |
| Boron | -- | 0.05 | ND |
| Bromide | -- | 0.005 | 0.012 |
| Calcium | -- | 1 | 1.1 |
| Carbonate | -- | 2 | 6.2 |
| Chloride | 250 ³ | 0.5 | 2.4 |
| Copper | 1 | 0.002 | ND |
| Corrosivity | -- | -14 | -0.40 |
| Foaming Agents | -- | 0.1 | ND |
| Hardness, Calcium | -- | 5 | ND |
| Hardness, Total | -- | 3 | ND |
| Hydroxide | -- | 2 | ND |
| Iron | 0.3 ³ | 0.02 | ND |
| Magnesium | -- | 0.1 | ND |
| Manganese | 0.05 ³ | 0.002 | ND |
| Orthophosphate | -- | 0.01 | 0.22 |
| pH | See endnote ⁴ | 0.1 | 8.8 |
| Phenol | 0.001 | 0.001 | ND |
| Potassium | -- | 1 | ND |
| Silver | 0.1 | 0.0005 | ND |
| Sodium | -- | 1 | 69 |
| Specific Conductance | -- umho/cm | 2 | 280 |
| Sulfate | 250 | 0.5 | 13 |
| TDS | 500 ^{3,5} | 10 | 190 |
| Zinc | 5 ³ | 0.02 | ND |

*159 South Stark Highway, The Governor Wentworth Building, Weare, New Hampshire 03281
Phone: (603) 529-4977 / Fax: (603) 529-4988*

| ANALYSIS PERFORMED | MCL (mg/L) | RL (mg/L) | EVAMOR FINISHED PRODUCT (Produced from Goodbee Well Source, 32 Ounce, Line A) 555-5667 (mg/L) |
|-----------------------------------|-----------------------|--------------|-----------------------------------------------------------------------------------------------------|
| Physical | | | |
| Color | 15 ³ CU | 3 | ND |
| Odor | 3 ³ TON | 1 | ND |
| Turbidity | 5 NTU | 0.1 | ND |
| Microbiological | | | |
| Total Coliform | Absence | 1 | ND |
| E. Coli. | Absence | 1 | ND |
| Standard Plate Count | -- cfu/mL | 1 | ND |
| Radiologicals | | | |
| Gross Alpha | 15 pCi/L | 3 | ND |
| Gross Beta | 50 pCi/L ⁵ | 3 | ND |
| Radium 226/228 | 5 pCi/L | 1 / 1 | ND / ND |
| Uranium | 0.030 | 0.001 | ND |
| Volatile Organic Compounds | | | |
| EPA 524.2: | | | |
| Total Trihalomethanes | 0.080 | 0.0005 | ND |
| tert-Amyl Methyl Ether (TAME) | -- | 0.003 | ND |
| tert-Butyl-Ethyl Ether (TBEE) | -- | 0.003 | ND |
| Benzene | 0.005 | 0.0005 | ND |
| Bromobenzene | -- | 0.0005 | ND |
| Bromochloromethane | -- | 0.0005 | ND |
| Bromodichloromethane | -- | 0.0005 | ND |
| Bromoform | -- | 0.0005 | ND |
| Bromomethane | -- | 0.0005 | ND |
| n-Butylbenzene | -- | 0.0005 | ND |
| sec-Butylbenzene | -- | 0.0005 | ND |
| tert-Butylbenzene | -- | 0.0005 | ND |
| Carbon Disulfide | -- | 0.0005 | ND |
| Carbon Tetrachloride | 0.005 | 0.0005 | ND |
| Chlorobenzene | 0.1 | 0.0005 | ND |
| Chloroethane | -- | 0.0005 | ND |
| Chloroform | -- | 0.0005 | ND |
| Chloromethane | -- | 0.0005 | ND |
| 2-Chlorotoluene | -- | 0.0005 | ND |
| 4-Chlorotoluene | -- | 0.0005 | ND |
| Chlorodibromomethane | -- | 0.0005 | ND |
| Dibromomethane | -- | 0.0005 | ND |
| 1,2-Dichlorobenzene | 0.6 | 0.0005 | ND |
| 1,3-Dichlorobenzene | -- | 0.0005 | ND |
| 1,4-Dichlorobenzene | 0.075 | 0.0005 | ND |
| Dichlorodifluoromethane | -- | 0.0005 | ND |
| 1,1-Dichloroethane | -- | 0.0005 | ND |
| 1,2-Dichloroethane | 0.005 | 0.0005 | ND |
| 1,1-Dichloroethylene | 0.007 | 0.0005 | ND |
| cis-1,2-Dichloroethylene | 0.07 | 0.0005 | ND |
| trans-1,2-Dichloroethylene | 0.1 | 0.0005 | ND |
| 1,2-Dichloropropane | 0.005 | 0.0005 | ND |
| 1,3-Dichloropropane | -- | 0.0005 | ND |
| 2,2-Dichloropropane | -- | 0.0005 | ND |
| 1,1-Dichloropropene | -- | 0.0005 | ND |
| cis-1,3-Dichloropropene | -- | 0.0005 | ND |
| trans-1,3-Dichloropropene | -- | 0.0005 | ND |

| ANALYSIS PERFORMED | MCL (mg/L) | RL (mg/L) | EVAMOR FINISHED PRODUCT (Produced from Goodbee Well Source, 32 Ounce, Line A) 555-5667 (mg/L) |
|--------------------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------|
| EPA 524.2 continued: | | | |
| Di-Isopropyl Ether | -- | 0.003 | ND |
| Ethylbenzene | 0.7 | 0.0005 | ND |
| Hexachlorobutadiene | -- | 0.0005 | ND |
| Isopropylbenzene | -- | 0.0005 | ND |
| 4-Isopropyltoluene | -- | 0.0005 | ND |
| 4-Methyl-2-Pentanone (MIBK) | -- | 0.005 | ND |
| Methyl tert-Butyl Ether (MTBE) | -- | 0.0005 | ND |
| Methyl Ethyl Ketone (MEK) | -- | 0.005 | ND |
| Methylene Chloride | 0.005 | 0.0005 | ND |
| Naphthalene | -- | 0.0005 | ND |
| n-Propylbenzene | -- | 0.0005 | ND |
| Styrene | 0.1 | 0.0005 | ND |
| 1,1,1,2-Tetrachloroethane | -- | 0.0005 | ND |
| 1,1,2,2-Tetrachloroethane | -- | 0.0005 | ND |
| Tetrachloroethylene | 0.005 | 0.0005 | ND |
| Toluene | 1 | 0.0005 | ND |
| 1,2,3-Trichlorobenzene | -- | 0.0005 | ND |
| 1,2,4-Trichlorobenzene | 0.07 | 0.0005 | ND |
| 1,1,1-Trichloroethane | 0.2 | 0.0005 | ND |
| 1,1,2-Trichloroethane | 0.005 | 0.0005 | ND |
| Trichloroethylene | 0.005 | 0.0005 | ND |
| Trichlorofluoromethane | -- | 0.0005 | ND |
| Trichlorotrifluoroethane | -- | 0.0005 | ND |
| 1,2,3-Trichloropropane | -- | 0.0005 | ND |
| 1,2,4-Trimethylbenzene | -- | 0.0005 | ND |
| 1,3,5-Trimethylbenzene | -- | 0.0005 | ND |
| Vinyl Chloride | 0.002 | 0.0003 | ND |
| m+p-Xylenes | -- | 0.0005 | ND |
| ortho-Xylene | -- | 0.0005 | ND |
| Total Xylene | 10 | 0.0005 | ND |
| Add'l Organics | | | |
| EPA 551.1: | | | |
| Ethylene Dibromide | 0.00005 | 0.00001 | ND |
| Dibromochloropropane | 0.0002 | 0.00001 | ND |
| EPA 505: | | | |
| Alachlor | 0.002 | 0.0001 | ND |
| Aldrin | -- | 0.00001 | ND |
| Chlordane (alpha and gamma) | 0.002 | 0.0001 | ND |
| Dieldrin | -- | 0.00001 | ND |
| Endrin | 0.002 | 0.00001 | ND |
| Heptachlor | 0.0004 | 0.00001 | ND |
| Heptachlor Epoxide | 0.0002 | 0.00001 | ND |
| Lindane | 0.0002 | 0.00001 | ND |
| Methoxychlor | 0.04 | 0.00005 | ND |
| Total PCBs | 0.0005 | 0.0001 | ND |
| PCB 1016 | -- | 0.00008 | ND |
| PCB 1221 | -- | 0.0001 | ND |
| PCB 1232 | -- | 0.0001 | ND |
| PCB 1242 | -- | 0.0001 | ND |
| PCB 1248 | -- | 0.0001 | ND |
| PCB 1254 | -- | 0.0001 | ND |
| PCB 1260 | -- | 0.0001 | ND |
| Toxaphene | 0.003 | 0.0005 | ND |

| ANALYSIS PERFORMED | MCL (mg/L) | RL (mg/L) | EVAMOR FINISHED PRODUCT (Produced from Goodbee Well Source, 32 Ounce, Line A) 555-5667 (mg/L) |
|---------------------------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------|
| EPA 515.4: | | | |
| Acifluorfen | -- | 0.0002 | ND |
| Bentazon | -- | 0.0005 | ND |
| 2,4-D | 0.07 | 0.0001 | ND |
| 2,4-DB | -- | 0.002 | ND |
| Dalapon | 0.2 | 0.001 | ND |
| DCPA (total Mono & Di acid degradate) | -- | 0.0001 | ND |
| Dicamba | -- | 0.0001 | ND |
| 3,5-Dichlorobenzoic Acid | -- | 0.0005 | ND |
| Dichlorprop | -- | 0.0005 | ND |
| Dinoseb | 0.007 | 0.0002 | ND |
| Pentachlorophenol | 0.001 | 0.00004 | ND |
| Picloram | 0.5 | 0.0001 | ND |
| 2,4,5-T | -- | 0.0002 | ND |
| 2,4,5-TP (Silvex) | 0.05 | 0.0002 | ND |
| EPA 525.2: | | | |
| Acenaphthene | -- | 0.0001 | ND |
| Acenaphthylene | -- | 0.0001 | ND |
| Acetochlor | -- | 0.0001 | ND |
| Alpha-BHC | -- | 0.0001 | ND |
| Anthracene | -- | 0.00002 | ND |
| Atrazine | 0.003 | 0.00005 | ND |
| Benz(a)Anthracene | -- | 0.00005 | ND |
| Benzo(a)Pyrene | 0.0002 | 0.00002 | ND |
| Benzo(b)Fluoranthene | -- | 0.00002 | ND |
| Benzo(g,h,i)Perylene | -- | 0.00005 | ND |
| Benzo(k)Fluoranthene | -- | 0.00002 | ND |
| Beta-BHC | -- | 0.0001 | ND |
| Bromacil | -- | 0.0002 | ND |
| Butylbenzylphthalate | -- | 0.0005 | ND |
| Butachlor | -- | 0.00005 | ND |
| Caffeine | -- | 0.00005 | ND |
| Chlordane (alpha) | 0.002 | 0.00005 | ND |
| Chlordane (gamma) | 0.002 | 0.00005 | ND |
| Chlorobenzilate | -- | 0.0001 | ND |
| Chloroneb | -- | 0.0001 | ND |
| Chlorothalonil | -- | 0.0001 | ND |
| Chlorpyrifos | -- | 0.00005 | ND |
| Chrysene | -- | 0.00002 | ND |
| Delta-BHC | -- | 0.0001 | ND |
| 4,4-DDD | -- | 0.0001 | ND |
| 4,4-DDE | -- | 0.0001 | ND |
| 4,4-DDT | -- | 0.0001 | ND |
| Diazinon (Qualitative) | -- | 0.0001 | ND |
| Dichlorvos (DDVP) | -- | 0.00005 | ND |
| Dieldrin | -- | 0.0002 | ND |
| Di(2-ethylhexyl)Adipate | 0.4 | 0.0006 | ND |
| Dibenz(a,h)Anthracene | -- | 0.00005 | ND |
| Di(2-ethylhexyl)Phthalate | 0.006 | 0.0006 | ND |
| Diethylphthalate | -- | 0.0005 | ND |
| Dimethylphthalate | -- | 0.0005 | ND |
| Dimethoate | -- | 0.0001 | ND |
| Di-n-Butylphthalate | -- | 0.001 | ND |
| Di-n-Octylphthalate | -- | 0.0001 | ND |

| ANALYSIS PERFORMED | MCL (mg/L) | RL (mg/L) | EVAMOR FINISHED PRODUCT (Produced from Goodbee Well Source, 32 Ounce, Line A) 555-5667 (mg/L) |
|-----------------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------|
| EPA 525.2 continued: | | | |
| 2,4-Dinitrotoluene | -- | 0.0001 | ND |
| 2,6-Dinitrotoluene | -- | 0.0001 | ND |
| Endosulfan I (Alpha) | -- | 0.0001 | ND |
| Endosulfan II (Beta) | -- | 0.0001 | ND |
| Endosulfan Sulfate | -- | 0.0001 | ND |
| Endrin Aldehyde | -- | 0.0001 | ND |
| EPTC | -- | 0.0001 | ND |
| Fluoranthene | -- | 0.0001 | ND |
| Fluorene | -- | 0.00005 | ND |
| Heptachlor | 0.0004 | 0.00003 | ND |
| Hexachlorobenzene | 0.001 | 0.00005 | ND |
| Hexachlorocyclopentadiene | 0.05 | 0.00005 | ND |
| Indeno(1,2,3-cd)Pyrene | -- | 0.00005 | ND |
| Isophorone | -- | 0.0005 | ND |
| Malathion | -- | 0.0001 | ND |
| Metolachlor | -- | 0.00005 | ND |
| Metribuzin | -- | 0.00005 | ND |
| Molinate | -- | 0.0001 | ND |
| Naphthalene | -- | 0.0003 | ND |
| trans-Nonachlor | -- | 0.00005 | ND |
| Parathion | -- | 0.0001 | ND |
| Pendimethalin | -- | 0.0001 | ND |
| Permethrin | -- | 0.0001 | ND |
| Phenanthrene | -- | 0.00004 | ND |
| Propachlor | -- | 0.00005 | ND |
| Pyrene | -- | 0.00005 | ND |
| Simazine | 0.004 | 0.00005 | ND |
| Terbacil | -- | 0.0001 | ND |
| Terbuthylazine | -- | 0.0001 | ND |
| Thiobencarb | -- | 0.0002 | ND |
| Trifluralin | -- | 0.0001 | ND |
| EPA 531.2: | | | |
| Aldicarb (TEMIK) | -- | 0.0005 | ND |
| Aldicarb sulfone | -- | 0.0005 | ND |
| Aldicarb sulfoxide | -- | 0.0005 | ND |
| Baygon (PROPOXUR) | -- | 0.0005 | ND |
| Carbaryl | -- | 0.0005 | ND |
| Carbofuran (FURADAN) | 0.04 | 0.0005 | ND |
| 3-Hydroxycarbofuran | -- | 0.0005 | ND |
| Methiocarb | -- | 0.0005 | ND |
| Methomyl | -- | 0.0005 | ND |
| Oxamyl (VYDATE) | 0.2 | 0.0005 | ND |
| EPA 547: | | | |
| Glyphosate | 0.7 | 0.006 | ND |
| EPA 548.1: | | | |
| Endothall | 0.1 | 0.005 | ND |
| EPA 549.2: | | | |
| Diquat | 0.02 | 0.0004 | ND |
| Paraquat | -- | 0.002 | ND |

| ANALYSIS PERFORMED | MCL (mg/L) | RL (mg/L) | EVAMOR FINISHED PRODUCT (Produced from Goodbee Well Source, 32 Ounce, Line A) 555-5667 (mg/L) |
|---------------------------------------------------------------------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------|
| EPA 1613: 2,3,7,8-TCDD (DIOXIN) | 3x10-8 | 5.0x10-9 | ND |
| Disinfection Byproducts EPA 317: Bromate | 0.010 | 0.005 | 0.0088 |
| EPA 300.1B: Chlorite | 1.0 | 0.01 | ND |
| EPA 6251B: Bromochloroacetic acid | -- | 0.001 | ND |
| Dibromoacetic acid | -- | 0.001 | ND |
| Dichloroacetic acid | -- | 0.001 | ND |
| Monobromoacetic acid | -- | 0.001 | ND |
| Monochloroacetic acid | -- | 0.002 | ND |
| Trichloroacetic acid | -- | 0.001 | ND |
| Haloacetic Acids, Total | 0.060 | 0.002 | ND |
| EPA 524.2: Total Trihalomethanes | 0.080 | 0.0005 | ND |
| Bromodichloromethane | -- | 0.0005 | ND |
| Bromoform | -- | 0.0005 | ND |
| Chloroform | -- | 0.0005 | ND |
| Chlorodibromomethane | -- | 0.0005 | ND |
| Residual Disinfectants SM4500-CL G: Residual Chlorine, Free | -- | 0.1 | ND |
| Residual Chlorine, Total | 4.0 | 0.1 | ND |
| Chloramines | 4.0 | 0.1 | ND |
| SM4500-CIO2-D: Chlorine Dioxide | 0.8 | 0.24 | ND |
| Miscellaneous EPA 331.0: Perchlorate | -- | 0.002 | ND |

EPA approved methods were used in all of the analyses and a listing is available upon request. These test results may be used for compliance purposes as required.

¹ The EPA, some State agencies and/or the IBWA may have established alternate MCLs for some of these analytes. Please refer to Federal, State and Industry codes.

² Fluoride MCL is determined by annual average of maximum daily air temperatures where the bottled water is sold. Refer to tables found in 21 CFR 165.

³ Mineral water is exempt from allowable levels per 21 CFR 165.110(b)(3) and (4). The exemptions are aesthetically based allowable levels and do not relate to a health concern.

⁴ MCL established by US FDA for waters that meet the US FDA definition of "Purified" is 5-7 pH Units per the USP XXIII Standards, as referenced in 21 CFR 165.

⁵ The bottled water shall not contain beta particle and photon radioactivity from man-made radionuclides in excess of that which would produce an annual dose equivalent to the total body or any internal organ of 4 millirems per year calculated on the basis of an intake of 2 liters of the water per day (= 50 pCi/L).